U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1–9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

		SECTION A -	PROPERTY INFO	ORMATION	FC	R INSURAN	CE COMPANY USE
A1.	Building Owner's Name JUAN GONZALE	EZ ISMAEL	76 Ora	Sixt8	Po	licy Number:	906) N S 1971 Y TE TE SER OF THE TOP
A2.	Building Street Address (including Apt., Unit, 5801 ESTATES DRIVE	Suite, and/or Bldg.				mpany NAIC N	
	City SOUTHWEST RANCHES	: The Mardanas/La	State	FL ^{ire} dinument	ZIP	Code 333	30
A3.	Property Description (Lot and Block Numbers LOT 5, ESTATES AT SUNCHINE RAN	ICHES, PB 172,	PAGE 94 PARCE	EL ID. # 50403	4-08-0050	WOTGU	add to Vit Sandrier
	Attach at least 2 photographs of the building Building Diagram Number 1A	Long if the Certificate is (s):	. 80°20'09.78"W being used to obtain	n flood insurance		hed garage:	818,661,88
	b) Number of permanent flood openings in the or enclosure(s) within 1.0 foot above adjactions.		Δ	within 1.0) foot above a	djacent grad	뭐라면 그 사내 무슨 맛없다면 그 그가 가까지 않았다. 먹어 먹다
	c) Total net area of flood openings in A8.b d) Engineered flood openings? Yes	⊠ No	sq in	등급 등 이상을 중 하는데 하는 것이다니까	area of flood o ed flood openi	in the limit of the little	[3] [4] [4] [4] [5] [5] [5] [6] [6] [6] [6] [6] [6] [6] [6] [6] [6
	SECTION I	B – FLOOD INSU	RANCE RATE MA	AP (FIRM) IN	FORMATION	T Said Hall Kills	Controlled to de Ne
B1.	NFIP Community Name & Community Number SOUTHWEST RANCHES, TOWN OF		B2. County Name BROWARD CO	LINTV	Loof Javansas	a Project	B3. State FL
B4.	Map/Panel Number B5. Suffix B6. F	TRM Index Date	B7. FIRM Panel Eff Revised Date	fective/ B8. F	Tood Zone(s)		Flood Elevation(s) (Zone se base flood depth)
	12011C/0540 H D. Indicate the source of the Base Flood Elevation	08/18/2014	08/18/201		AH	L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5.0
	SECTION C -	BUILDING ELEV	VATION INFORMA	ATION (SLIDVE	V DEALIDE	וח	
	A new Elevation Certificate will be required to Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrams Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevation Datum used for building elevations must be to a) Top of bottom floor (including basement, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab)	onstruction Drawing when construction of BFE), VE, V1–V30, V am specified in Item ons in items a) through the same as that userawlspace, or enclose member (V Zones et al., 2006).	s	g Under Construction in plete. A, AR/AE, AR/A1 only, enter mete atum: EL=6.60 GVD 1929 IN N 8 . 93 N . A N . A 8 . 07	ction* -A30, AR/AH, ets. 1(NAVD88) NAVD 1988 Check the mea feet feet feet feet	Finished Con AR/AO. Con Other/Sourement underers meters meters meters meters	nplete Items
	A new Elevation Certificate will be required at Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrams Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevation Datum used for building elevations must be at a) Top of bottom floor (including basement, a) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab) e) Lowest elevation of machinery or equipmed (Describe type of equipment and location f) Lowest adjacent (finished) grade next to be g) Highest adjacent (finished) grade next to be h) Lowest adjacent grade at lowest elevation structural support	onstruction Drawing when construction of the construction of the construction of the same as that use the same as that use the same as that use the construction of th	s	8 Under Construction plete. A, AR/AE, AR/A1 only, enter meteratum: EL=6.60 GVD 1929 IN N 8 . 93 N . A N . A 8 . 07 8 . 21 7 . 71 7 . 81 N . A	ction* -A30, AR/AH, ets. 1(NAVD88) NAVD 1988 Check the mea feet feet feet feet feet feet feet feet	Finished Con AR/AO. Con Other/Sou surement unders meters meters	rce:sed.
C2.	*A new Elevation Certificate will be required at Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrated Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevationatum used for building elevations must be at a) Top of bottom floor (including basement, a) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab) e) Lowest elevation of machinery or equipmed (Describe type of equipment and location f) Lowest adjacent (finished) grade next to be displayed by the displayed of the lowest elevation structural support	onstruction Drawing when construction of the same as that use the same as that use the same as the sam	s*	8 Under Construction plete. A, AR/AE, AR/A1 only, enter mete atum: EL=6.60 GVD 1929 X N 8 93 N A N A 8 07 8 21 7 71 7 81 N A	ction* A-A30, AR/AH, ets. 1 (NAVD88) NAVD 1988 Check the mea feet	Finished Con AR/AO. Con Other/Sou surement unders meters	rce:sed.
This cinform	*A new Elevation Certificate will be required at Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrams Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevation Datum used for building elevations must be at a) Top of bottom floor (including basement, a) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab) e) Lowest elevation of machinery or equipmed (Describe type of equipment and location f) Lowest adjacent (finished) grade next to be g) Highest adjacent (finished) grade next to be h) Lowest adjacent grade at lowest elevation structural support	onstruction Drawing when construction of BFE), VE, V1–V30, V am specified in Item ons in items a) through the same as that userawlspace, or enclosure the servicing the buint Comments) building (LAG) building (HAG) in of deck or stairs, in a surveyor, engine rtificate represents thable by fine or imp form.	s*	g Under Construction plete. A, AR/AE, AR/A1 only, enter meteratum: EL=6.60 GVD 1929 IN N 8 . 93 N . A N . A 8 . 07 8 . 21 7 . 71 7 . 81 N . A RCHITECT CE orized by law to deterpret the data at U.S. Code, Section	ction* -A30, AR/AH, ets. 1 (NAVD88) NAVD 1988 Check the mean of the feet o	Finished Con AR/AO. Con Other/Sou surement unders meters	rce:sed.
This confined the	*A new Elevation Certificate will be required to Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrams. Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevationatum used for building elevations must be at a) Top of bottom floor (including basement, a) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab) e) Lowest elevation of machinery or equipmed (Describe type of equipment and location f) Lowest adjacent (finished) grade next to be all the properties of the company of the lowest elevation of the lowest elevation of the lowest adjacent (finished) grade next to be all the lowest adjacent grade at lowest elevation structural support SECTION Describing that the information on this Celevation is to be signed and sealed by a land that any false statement may be punished here if comments are provided on back of neck here if attachments.	onstruction Drawing when construction of BFE), VE, V1–V30, V am specified in Item ons in items a) through the same as that userawlspace, or enclosure the servicing the buint Comments) building (LAG) building (HAG) in of deck or stairs, in a surveyor, engine rtificate represents thable by fine or imp form.	s* □ Building of the building is con (with BFE), AR, AR//n A7. In Puerto Rico Vertical Days h) below. □ Nosed for the BFE. osure floor) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	g Under Construction plete. A, AR/AE, AR/A1 only, enter mete atum: EL=6.60 GVD 1929 X N 8 . 93 N . A N . A 8 . 07 8 . 21 7 . 71 7 . 81 N . A RCHITECT CE orized by law to derpret the data at U.S. Code, Section at D.S. Code, Section	ction* -A30, AR/AH, ets. 1 (NAVD88) NAVD 1988 Check the mean of the feet o	Finished Con AR/AO. Con Other/Sou surement unders meters	rce:sed.
This of information of the Certification of the Cer	*A new Elevation Certificate will be required to Elevations – Zones A1–A30, AE, AH, A (with EC2.a–h below according to the building diagrams. Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevationatum used for building elevations must be at the location of the lowest form of the next higher floor. a) Top of bottom floor (including basement, of the lowest horizontal structural diagrams). Top of the next higher floor. b) Top of the next higher floor. c) Bottom of the lowest horizontal structural diagrams. Elevation of machinery or equipment (Describe type of equipment and location floor (Describe type of equipment and location floor (Binished) grade next to be given the lowest adjacent (finished) grade next to be signed at lowest elevation structural support. SECTION Describing that the information on this Celevation is to be signed and sealed by a lamation. I certify that the information on this Celevation deck here if comments are provided on back of neck here if attachments. differ's Name IICIO CABRERA	construction Drawing when construction of the same as that user a straight and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as the sam	s* □ Building of the building is con (with BFE), AR, AR//n A7. In Puerto Rico Vertical Days h) below. □ Nosed for the BFE. osure floor) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	g Under Construction plete. A, AR/AE, AR/A1 only, enter mete atum: EL=6.60 GVD 1929 IN N B . 93 N . A N . A 8 . 07 8 . 21 7 . 71 7 . 81 N . A RCHITECT CE orized by law to deterpret the data at U.S. Code, Section at U.S. Code, Section in Section A process of the consensus of the conse	ction* -A30, AR/AH, irs. 1 (NAVD88) NAVD 1988 Check the mea feet foet	Finished Con AR/AO. Con Other/Sou surement unders meters	rce:sed.
This of inforr I undo	*A new Elevation Certificate will be required to Elevations – Zones A1–A30, AE, AH, A (with E C2.a–h below according to the building diagrams. Benchmark Utilized: NO. 3398 Indicate elevation datum used for the elevation Datum used for building elevations must be to a) Top of bottom floor (including basement, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural d) Attached garage (top of slab) e) Lowest elevation of machinery or equipme (Describe type of equipment and location f) Lowest adjacent (finished) grade next to be different adjacent (finished) grade next to be h) Lowest adjacent grade at lowest elevation structural support SECTION D certification is to be signed and sealed by a lamation. I certify that the information on this Celerstand that any false statement may be punished here if comments are provided on back of neck here if attachments.	construction Drawing when construction of the same as that user a straight and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as that user away space, or enclosed and the same as the sam	s*	g Under Construction plete. A, AR/AE, AR/A1 only, enter mete atum: EL=6.60 GVD 1929 IN N B . 93 N . A N . A 8 . 07 8 . 21 7 . 71 7 . 81 N . A RCHITECT CE orized by law to deterpret the data at U.S. Code, Section at U.S. Code, Section in Section A process of the consensus of the conse	ction* -A30, AR/AH, irs. 1 (NAVD88) NAVD 1988 Check the mea feet foet	Finished Con AR/AO. Con Other/Sou surement unders meters	rce:sed.

ELE	WA	TI	ON	CERTI	FICA	TE.	page	2
-----	----	----	----	-------	------	-----	------	---

ELEVATION CERTIFICATE, page 2				market water than a state of the state of th	-
IMPORTANT: In these spaces, copy the correspondent					E COMPANY USE
Building Street Address (including Apt., Unit, Suit 5801 ESTATES DRIVE				Policy Number:	
City SOUTHWEST RANCHES	State FL	ZIP Code 33330		Company NAIC Nu	mber:
SECTION D - SUF	EVEYOR, ENGINEER, OR		RTIFICATION (C	ONTINUED)	
Copy both sides of this Elevation Certificate for (
Comments LATITUDE AND LONGITUDE F	ROM GOOGLE EARTH.				
ITEM IN C2e REFERS TO A/C U	JNIT ON CONCRETE SLA	ΛB			
Signature		Date 02/23/2			
SECTION E – BUILDING ELEVATION I					
For Zones AO and A (without BFE), complete Item For Items E1–E4, use natural grade, if available.	Check the measurement used	. In Puerto Rico or	ıly, enter meters.		
E1. Provide elevation information for the following grade (HAG) and the lowest adjacent grade (L	AG).	oxes to show whet	her the elevation is	s above or below t	he highest adjacent
a) Top of bottom floor (including basement, cr		•	☐ feet ☐ met	_	LI solott tilo tilla.
b) Top of bottom floor (including basement, or			☐ feet ☐ met		\square below the LAG.
E2. For Building Diagrams 6–9 with permanent flo					
the next higher floor (elevation C2.b in the dia E3. Attached garage (top of slab) is	agrams) of the building is _		☐ feet ☐ met		
			☐ feet ☐ met		
E4. Top of platform of machinery and/or equipme E5. Zone A0 only: If no flood depth number is ava			feet met		below the HAG.
ordinance? ☐ Yes ☐ No ☐ Unknown. T	he local official must certify the	n floor elevated in his information in S	accordance with the Section G.	ne community's flo	odplain management
	PERTY OWNER (OR OWI				
The property owner or owner's authorized represe Zone AO must sign here. The statements in Section	entative who completes Section ons A, B, and E are correct to	ns A, B, and E for the best of my kn	Zone A (without a owledge.	FEMA-issued or co	mmunity-issued BFE) or
Property Owner or Owner's Authorized Representa	ative's Name				
Address	,	City	St	tate ZIP (Code
Signature		Date	Te	elephone	
Comments					
		······································			
				Chec	ck here if attachments.
	CTION G - COMMUNITY				
The local official who is authorized by law or ordina G of this Elevation Certificate. Complete the applic	nce to administer the commun able item(s) and sign below. Cl	ity's floodplain mai neck the measuren	nagement ordinanc nent used in Items	e can complete Se G8–G10. In Puerto	ctions A, B, C (or E), and Rico only, enter meters
G1. ☐ The information in Section C was taken	from other documentation th	at has been signe	ed and sealed by a	licensed surveyo	r engineer or architect
who is authorized by law to certify eleva					
G2. A community official completed Section I G3. The following information (Items G4–G1				unity-issued BFE) (or Zone AO.
G4. Permit Number	5. Date Permit Issued	G6.	Date Certificate O	f Compliance/Occ	upancy Issued
		ial Improvement			
G8. Elevation of as-built lowest floor (including b	_	•	☐ feet ☐ met		
G9. BFE or (in Zone AO) depth of flooding at the	building site:		☐ feet ☐ met		
G10. Community's design flood elevation:			☐ feet ☐ met	ers Datum	
Local Official's Name		Title			
Community Name		Telephone			
Signature		Date			
Comments					
					ck here if attachments

FEMA Form 086-0-33 (Revised 7/12)

Replaces all previous editions.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, St 5801 ESTATES DRIVE	uite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number:
City SOUTHWEST RANCHES	State ZIP Code FL 33330	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT OF PROPERTY (EAST SIDE)



REAR OF PROPERTY (WEST SIDE)



BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, St. 5801 ESTATES DRIVE	ite, and/or Bldg. No.) or P.O. Route	and Box No.	Policy Number:
City SOUTHWEST RANCHES		P Code 3330	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

LEFT SIDE OF PROPERTY (SOUTH SIDE)



RIGHT SIDE OF PROPERTY (NORTH SIDE)

